

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| | | gradient near coil and current near flow same S11 near (amp\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/21 16:56 |
| | | gradient near coil and current near flow same S11 near (amps "A" "I") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/21 16:55 |
| | | gradient near coil current near flow same S11 near (amps "A" "I") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/21 16:55 |
| | | gradient near coil current near flow same S11 near (amps A I) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/21 16:55 |
| | | gradient near coil and (conduct\$3 particle) same (S3 S4 S5 S6 S7 S8 S9 S10 "9" S11) ".mu.m" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/21 16:17 |
| | | gradient near coil and particle same (S3 S4 S5 S6 S7 S8 S9 S10 "9" S11) ".mu.m" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/21 16:11 |
| | | gradient near coil and S11 same mu | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 16:09 |
| | | gradient near coil and S11 near mu | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 16:08 |
| | | gradient near coil and S11.mu. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 16:08 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| | | gradient near coil and S11 near .mu. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 16:08 |
| | | gradient near coil and particles and S11 .mu.m. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2007/01/03 09:24 |
| L18 | 2 | ("6973711").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2007/01/04 19:15 |
| L19 | 685 | (600/422).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2007/01/04 19:15 |
| L20 | 518 | 600/422 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2007/01/04 19:16 |
| L21 | 2187 | 600/421 600/410 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2007/01/04 19:16 |
| L22 | 41 | Sellers.in. and MRI | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2007/01/04 19:17 |
| S1 | 70 | (MR MRI) and gradient near tube | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 13:36 |
| S2 | 56 | (MR MRI) and gradient near tube and conduct\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/20 15:04 |
| S3 | 1 | gradient near coil same tube and second with coil and conductive near compound | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 15:38 |

EAST Search History

| | | | | | | |
|----|-----|--|---|----|-----|------------------|
| S4 | 105 | gradient near coil same tube and second with coil | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 13:43 |
| S5 | 6 | gradient near coil and inner near tube and outer near tube and (conductor conducting conductive) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 13:57 |

EAST Search History

| | | | | | | |
|--|-----|--|--------------------|----|--------|------------------|
| S6 | 147 | (US-20040149645-\$ or US-20040105584-\$ or US-20060018561-\$).did. or (US-5763026-\$ or US-6475753-\$ or US-6464459-\$ or US-5331134-\$ or US-4879528-\$ or US-6436703-\$ or US-6448270-\$ or US-6440933-\$ or US-6416960-\$ or US-5262949-\$ or US-5265743-\$ or US-5383090-\$ or US-5870958-\$ or US-5240638-\$ or US-5910826-\$ or US-6186771-\$ or US-6239336-\$ or US-6399557-\$ or US-4756635-\$ or US-5433808-\$ or US-5500264-\$ or US-6058803-\$ or US-6079294-\$ or US-6145184-\$ or US-6179530-\$ or US-6195894-\$). did. or (US-6224160-\$ or US-6227070-\$ or US-6312364-\$ or US-6112435-\$ or US-6358190-\$ or US-6436018-\$ or US-5713309-\$ or US-6102941-\$ or US-5612497-\$ or US-6360126-\$ or US-6387696-\$ or US-5557981-\$ or US-6053942-\$ or US-6182668-\$ or US-6362009-\$ or US-6193726-\$ or US-6197050-\$ or US-4973985-\$ or US-5000643-\$ or US-5024572-\$ or US-5504304-\$ or US-5874707-\$ or US-6114839-\$ or US-5647644-\$ or US-5025625-\$ or US-5830780-\$ or US-4567859-\$). did. or (US-4936342-\$ or US-5360219-\$ or US-5401035-\$ or US-5460438-\$ or US-5501053-\$ or US-6272479-\$ or US-5578483-\$ or US-6141885-\$ or US-6188975-\$ or US-6414011-\$ or US-4392914-\$ or US-4400707-\$ or US-4509610-\$ or US-4531825-\$ or US-4562377-\$ or US-4588140-\$ or US-4764067-\$ or US-4782681-\$ or US-4782688-\$ or US-4784332-\$ or US-4787506-\$ or US-4876894-\$ or US-4888993-\$ or US-4899731-\$ or US-4900248-\$ or US-4938729-\$ or US-4953833-\$). did. or (US-4958823-\$ or US-4970952-\$ or US-4986866-\$ or US-5197538-\$ or US-6421613-\$ or US-6353477-\$ or US-6196531-\$ or US-5261752-\$ or US-5277527-\$ or US-5357716-\$ or US-5364158-\$ or US-5395128-\$ or US-5511796-\$ or US-5526462-\$ or US-5548672-\$ or US-5560721-\$ or US-5575485-\$ or US-5881957-\$ or US-4784574-\$ or US-5591042-\$ or US-5674181-\$ or US-5743479-\$ or US-5785140-\$ or US-5792229-\$ or US-5957489-\$ or US-6043490-\$ or US-6099572-\$). did. or (US-6116788-\$ or | US-PGPUB; USPAT | OR | OFF | 2006/12/21 13:55 |
| 1/4/2007 7:17:25 PM C:\Documents and Settings\jeweatherby\My Documents\EA\Workspaces\10707907.wsp | | | | | Page 4 | |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S7 | 46 | S6 and (resin epoxy) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 13:55 |
| S8 | 444 | gradient near coil and (epoxy resin) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 13:57 |
| S9 | 328 | gradient near coil and (epoxy resin) and (conductor conductive conducting) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 13:58 |
| S10 | 148 | gradient near coil and (epoxy resin) same (conductor conductive conducting) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 14:30 |
| S11 | 2 | gradient near coil and (epoxy resin) same (conductor conductive conducting) and chemical near harden\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 14:31 |
| S12 | 4 | gradient near coil and (epoxy resin) same (conductor conductive conducting) same hardener | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 14:42 |
| S13 | 4 | gradient near coil and (epoxy resin) same (conductor conductive conducting) same bisphenol | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 14:44 |
| S14 | 5 | gradient near coil and (epoxy resin) same bisphenol | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 14:51 |
| S15 | 12 | gradient near coil and polyester near resin | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 15:37 |
| S16 | 0 | gradient near coil and S11 and mu | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 16:09 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S17 | 2 | gradient near coil and S11 ".mu.m" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 16:10 |
| S18 | 3078 | gradient near coil and (S3 S4 S5 S6 S7 S8 S9 S10 "9" S11) ".mu.m" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 16:10 |
| S19 | 0 | gradient near coil and (S3 S4 S5 S6 S7 S8 S9 S10 "9" S11) and ".mu.m" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2006/12/21 16:10 |
| S20 | 306 | gradient near coil and particle and (S3 S4 S5 S6 S7 S8 S9 S10 "9" S11) ".mu.m" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/21 16:12 |
| S21 | 2544 | gradient near coil and (conduct\$3 particle) and (S3 S4 S5 S6 S7 S8 S9 S10 "9" S11) ".mu.m" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/21 16:13 |
| S22 | 57 | gradient near coil and (conduct\$3) and particle near size | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/21 16:21 |
| S23 | 11 | gradient near coil and (conduct\$3) same particle near size | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/21 16:36 |
| S24 | 353 | gradient near coil and (conduct\$3) same current near flow | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/21 16:39 |
| S25 | 750 | gradient near coil and (conduct\$3) and current near flow | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/21 16:40 |
| S26 | 353 | gradient near coil and (conduct\$3) same current near flow | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/28 11:44 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S27 | 121 | gradient near coil and (conduct\$3) same current near flow and heat | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/21 16:44 |
| S28 | 34 | gradient near coil and (conduct\$3) same current near flow same heat | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/21 16:54 |
| S29 | 0 | gradient near coil and current near flow same "10" near (amp\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/21 16:56 |
| S30 | 12 | gradient near coil and current same "10" near (amp\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/21 17:00 |
| S31 | 12 | gradient near coil and current same "10" near (amp\$2 micro) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/21 17:00 |
| S32 | 34 | gradient near coil and (conduct\$3) same current near flow same heat | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/28 11:55 |
| S33 | 0 | gradient near coil and current near flow same heat same limit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/28 11:55 |
| S34 | 0 | gradient near coil and current with flow same heat same limit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/28 11:56 |
| S35 | 1 | gradient near coil and current with flow same limit and quench | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/28 12:01 |
| S36 | 32 | (compound coating) same limit same current with flow same limit and quench | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/28 12:05 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S37 | 8 | (compound coating) same limit with current with flow and quench | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/28 16:00 |
| S38 | 24 | (compound coating) with limit with current and quench | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/12/28 16:00 |
| S39 | 2 | ("6147844").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2007/01/03 09:38 |
| S40 | 37 | gradient near coil and (coating compound) same current | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2007/01/03 09:41 |
| S41 | 51 | gradient near coil and (lamine coating compound) same current | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2007/01/03 09:41 |